

Table of Contents CD.E7.01 Rev: 09-07 July 2009

* These documents have been revised or added on this CD revision.

| Document Number | Description | Doc Date | Change |
|------------------------------------|---|------------|--------|
| Drive Descriptions | | | |
| E7.01 | E7 Description | 7/1/2008 | * |
| E7B.01 | E7B Description | 7/1/2008 | * |
| E7BR.01 | E7BR Description | 7/1/2008 | * |
| E7C.01 | E7C Description | 7/1/2008 | * |
| E7CR.01 | E7CR Description | 7/1/2008 | * |
| E7N.01 | E7N Description | 7/1/2008 | * |
| E7L.01 | E7L Description | 7/1/2008 | * |
| Mechanical Drawings | | | |
| PD.E7.01 | E7 Product Data Table, Dimensions, Weights, Drawing Numbers | 7/1/2008 | * |
| PD.E7B.01 | E7B Product Data Table, Dimensions, Weights, Drawing Numbers | 7/1/2008 | * |
| PD.E7BR.01 | E7BR Product Data Table, Dimensions, Weights, Drawing Numbers | 7/1/2008 | * |
| PD.E7C.01 | E7C Product Data Table, Dimensions, Weights, Drawing Numbers | 7/1/2008 | * |
| PD.E7CR.01 | E7CR Product Data Table, Dimensions, Weights, Drawing Numbers | 7/1/2008 | * |
| PD.E7L.01 | E7L Product Data Table, Dimensions, Weights, Drawing Numbers | 7/1/2008 | * |
| PD.E7N.01 | E7N Product Data Table, Dimensions, Weights, Drawing Numbers | 7/1/2008 | * |
| DD.AFD.087.01 | Dimensions Enclosure, NEMA 1 or 12, Wall Mount | 8/20/2004 | |
| DD.AFD.087.01.AO | Dimensions Enclosure, NEMA 1 or 12, Wall Mount, with add-on box | 8/20/2004 | |
| DD.AFD.087.02 | Dimensions Enclosure, NEMA 1 or 12, Wall Mount | 8/20/2004 | |
| DD.AFD.088.01 | Dimensions Enclosure, NEMA 1 or 12, Wall Mount | 8/20/2004 | |
| DD.AFD.088.01.AO | Dimensions Enclosure, NEMA 1 or 12, Wall Mount, with add-on box | 8/20/2004 | |
| DD.AFD.088.02 | Dimensions Enclosure, NEMA 1 or 12, Wall Mount | 8/20/2004 | |
| DD.AFD.091.01 | Dimensions Enclosure, NEMA 1 or 12, Floor Mount, Single Door, 38"W | 8/20/2004 | |
| DD.AFD.093.01 | Dimensions Enclosure, NEMA 1 or 12, Floor Mount, Double Door, 73"W | 4/26/2004 | |
| DD.E7.FR1.N1.01 | Dimension Drawing: Frame Size 1, NEMA Type 1/IP20 and IP00, E7U20P4 to 22P2, 40P4 to 41P5 | 6/6/2005 | |
| DD.E7.FR2.N1.01 | Dimension Drawing: Frame Size 2, NEMA Type 1/IP20 and IP00, E7U23P7 to 25P5, 42P2 to 45P5 | 6/6/2005 | |
| DD.E7.FR3A.N1.01 | Dimension Drawing: Frame Size 3A, NEMA Type 1/IP20 and IP00, E7U27P5, 47P5 to 4011 | 6/6/2005 | |
| DD.E7.FR3B.N1.01 | Dimension Drawing: Frame Size 3B, NEMA Type 1/IP20 and IP00, E7U2011 | 6/6/2005 | |
| DD.E7.FR4A.N1.01 | Dimension Drawing: Frame Size 4A, NEMA Type 1/IP20 and IP00, E7U2015, 4018 | 6/6/2005 | |
| DD.E7.FR4B.N1.01 | Dimension Drawing: Frame Size 4B, NEMA Type 1/IP20 and IP00, E7U4015 | 6/6/2005 | |
| DD.E7.FR4C.N1.01 | Dimension Drawing: Frame Size 4C, NEMA Type 1/IP20 and IP00, E7U2018 | 6/6/2005 | |
| DD.E7.FR5.IP00.01 | Dimension Drawing: Frame Size 5, IP00 Enclosure, E7U2022 | 6/6/2005 | |
| DD.E7.FR5.N1.01 | Dimension Drawing: Frame Size 5, NEMA Type 1/IP20, E7U2022 | 6/6/2005 | |
| DD.E7.FR6A.N1.01 | Dimension Drawing: Frame Size 6A, NEMA Type 1/IP20, E7U2030 | 6/6/2005 | |
| DD.E7.FR6B.N1.01 | Dimension Drawing: Frame Size 6B, NEMA Type 1/IP20, E7U4022, 4030 | 6/6/2005 | |
| DD.E7.FR7.IP00.01 | Dimension Drawing: Frame Size 7, IP00 Enclosure, E7U2037 | 6/6/2005 | |
| DD.E7.FR7.N1.01 | Dimension Drawing: Frame Size 7, NEMA Type 1/IP20, E7U2037 | 6/6/2005 | |
| DD.E7.FR8.IP00.01 | Dimension Drawing: Frame Size 8, IP00 Enclosure, E7U2045 | 6/6/2005 | |
| DD.E7.FR8.N1.01 | Dimension Drawing: Frame Size 8, NEMA Type 1/IP20, E7U2045 | 6/6/2005 | |
| DD.E7.FR9A.N1.01 | Dimension Drawing: Frame Size 9A, NEMA Type 1/IP20, E7U4037 | 6/6/2005 | |
| DD.E7.FR9B.N1.01 | Dimension Drawing: Frame Size 9B, NEMA Type 1/IP20, E7U4045 to 4055 | 6/6/2005 | |
| DD.E7.FR10.IP00.01 | Dimension Drawing: Frame Size 10, IP00 Enclosure, E7U2055 to 2075, 4075 to 4090 | 6/6/2005 | |
| DD.E7.FR10.N1.01 | Dimension Drawing: Frame Size 10, NEMA Type 1/IP20, E7U2055 to 2075, 4075 to 4090 | 6/6/2005 | |
| DD.E7.FR11.IP00.01 | Dimension Drawing: Frame Size 11, IP00 Enclosure, E7U2090, 4110 to 4132 | 6/6/2005 | |
| DD.E7.FR11.N1.01 | Dimension Drawing: Frame Size 11, NEMA Type 1/IP20, E7U2090, 4110 to 4132 | 6/6/2005 | |
| DD.E7.FR12.IP00.01 | Dimension Drawing: Frame Size 12, IP00 Enclosure, E7U2110 | 6/6/2005 | |
| DD.E7.FR13.IP00.01 | Dimension Drawing: Frame Size 13, IP00 Enclosure, E7U4160 | 6/6/2005 | * |
| DD.E7.FR13.N1.01 | Dimension Drawing: Frame Size 13, NEMA Type 1/IP20, E7U4160 | 6/6/2005 | * |
| DD.E7.FR14.IP00.01 | Dimension Drawing: Frame Size 14, IP00 Enclosure, E7U4185, 4220 | 6/6/2005 | |
| DD.E7.FR15.IP00.01 | Dimension Drawing: Frame Size 15, IP00 Enclosure, E7U4300 | 6/6/2005 | |
| DO.E7C.01 | Operator for E7C Drive | 8/24/2004 | |
| DO.E7L.01 | Operator for E7L Drive with LED Display | 8/24/2004 | |
| DO.E7L.02 | Operator for E7L Drive with LCD Display | 8/24/2004 | |
| DO.E7B.01 | Operator for E7B Drive Standard Display | 8/24/2004 | |
| DO.E7B.02 | Operator for E7B Drive with LED Display | 8/24/2004 | |
| DO.E7B.03 | Operator for E7B Drive with LCD Display | 8/24/2004 | |
| DD.AFD.189.01 | Dimension Drawing: Enclosure, NEMA 3R, Floor Mount, Single Door | 9/26/2007 | |
| DD.AFD.190.01 | Dimension Drawing: Enclosure, NEMA 3R, Floor Mount, Double Door | 9/27/2007 | |
| DD.AFD.198.01 | Dimension Drawing: Enclosure, NEMA 3R, Wall Mount, Single Door | 3/6/2007 | |
| DD.AFD.199.01 | Dimension Drawing: Enclosure, NEMA 3R, Wall Mount, Single Door | 3/6/2007 | |
| DD.AFD.200.01 | Dimension Drawing: Enclosure, NEMA 3R, Wall Mount, Single Door | 3/6/2007 | |
| DD.E7N.203.01 | Dimension Drawing: E7N | 5/28/2008 | * |
| UDM00120 | Remote Mounted Digital Operator Cutout | 12/15/2005 | |
| UDM00201 | Digital Operator Cutout Template | 3/3/2007 | |
| Electrical Drawings | | | |
| DS.E7B.01 | E7B Schematic | 5/27/2008 | * |
| DS.E7B.02 | E7B Schematic with Touchpad control | 8/8/2008 | * |
| DS.E7B.03 | E7BR Schematic - 208V 5-100HP, 480V 5-250HP including options | 5/27/2008 | * |
| DS.E7B.04 | E7BR Schematic - 208V 125-150HP, 480V 300-400HP including options | 5/27/2008 | * |
| DS.E7C.01 | E7C Schematic - Wall Mount | 5/23/2008 | * |
| DS.E7C.02 | E7C Schematic - Floor Mount | 5/23/2008 | * |
| DS.E7C.03 | E7CR Schematic - 208V 5-25HP, 480V 5-30HP including options | 6/22/2007 | |
| DS.E7C.04 | E7CR Schematic - 208V 30-100HP, 480V 40-250HP including options | 7/12/2007 | |
| DS.E7C.05 | E7CR Schematic - 208V 125-150HP, 480V 300-500HP including options | 7/12/2007 | |
| DS.E7L.01 | E7L Schematic | 12/12/2007 | * |
| DS.E7N.01 | E7N Narrow Bypass Schematic | 12/5/2008 | * |
| Submittal Specifications | | | |
| SG.E7.01 | Specification Doc: Section 15172 Variable Frequency Drives - Word Document | 10/1/2005 | |
| SG.AFD.02 | Request Form for Total Harmonic Distortion (THD) Analysis | 12/1/2004 | |
| SG.E7.10 | E7 Drive Only Mechanical Specifications Submittal | 10/1/2005 | |
| SG.E7B.10 | E7B Bypass Mechanical Specifications Submittal with standard pilot devices | 10/1/2005 | |
| SG.E7B.11 | E7B Bypass Mechanical Specifications Submittal with Touchpad and LCD Operator | 10/1/2005 | |
| SG.E7B.12 | E7B Bypass Mechanical Specifications Submittal with Touchpad and LED Operator | 10/1/2005 | |
| SG.E7C.10 | E7C Configured Mechanical Specifications Submittal | 10/1/2005 | |
| SG.E7L.10 | E7L Mechanical Specifications Submittal with LED Operator | N/A | |
| SG.E7N.10 | E7N Mechanical Specifications Submittal | N/A | |
| Technical Manuals | | | |
| EZZ006543 | Making Yaskawa Inverter Products Conform with the EMC Directive | 4/4/2002 | |
| IG.AFD.20 | Installation Guide for LonWorks Communications | 6/1/2008 | * |
| IG.AFD.23 | BACnet Option Installation Guide | 8/15/2007 | |

| AN.AFD.11 | Using Yaskawa E7 VFDs with Delta Controls DAC-322-MOD BACnet Gateway | 9/15/2007 | |
|--|--|------------|--------|
| IG.AFD.26 | Installation Guide for EtherNet/IP Communications | 7/1/2007 | |
| IG.AFD.50 | Installation Guide for 3-15 PSI Pressure Transducer | 7/1/2004 | |
| IG.AFD.62 | Installation Instructions for the Trim Pot Option | 7/1/2004 | |
| Document Number | Description | Doc Date | Change |
| | Technical Manuals | | |
| IG.AFD.67 | Installation Guide for Option DI002 Interface Card | 10/27/2005 | |
| IG.E7.03 | Installation Guide for E7 Wiring | 7/11/2006 | |
| IG.E7B.02 | Installation Guide for E7B with Touchpad Control Panel Option T or Y | 11/1/2004 | |
| IG.E7.05 | Installation Guide for the E7 Electronic Bypass Safety and BAS Interlock Circuits | 6/1/2009 | * |
| PD.AFD.04 | Fuse Selection for Branch Circuits Series 7 Drives | 12/10/2003 | |
| TM.AFD.20 | Technical Manual for LonWorks Option Card | 9/1/2006 | |
| TM.AFD.26 | Technical Manual for EtherNet/IP Option Card CM092 | 8/15/2007 | |
| TM.E7.01 | User Manual for E7 Drive | 8/1/2008 | * |
| TM.E7.02 | Programming Manual for E7 Drive | 8/1/2008 | * |
| TM.E7.03 | E7 Cheat Sheet | 10/15/2008 | * |
| TM.E7.21 | Technical Manual for APOGEE FLN | 2/28/2003 | |
| TM.E7.22 | Technical Manual for Metasys N2 | 2/28/2003 | |
| TM.E7B.01 | Technical Manual for E7B Bypass | 9/15/2007 | |
| TM.E7L.01 | Technical Manual for E7L Bypass | 6/1/2005 | |
| TM.E7N.01 | Technical Manual for E7N Narrow Bypass Package | 3/1/2009 | * |
| | Application Data | | |
| AD.E7.01 | E7 Heat Loss Data | N/A | |
| AD4006 | Energy Savings Estimator | N/A | |
| AD4007 | Centrifugal Fan & Pumps | N/A | |
| AD4009 | Induction Motor Speed Torque Characteristics | N/A | |
| AD4011 | Application Load profiles | N/A | |
| AD4013 | Fan Selection for Air Handling | N/A | |
| AD4014 | Multiple Motor Operation | N/A | |
| AD4017 | Combination Drive Starter Installation | N/A | |
| AD4019 | Refrigerator Compressor | N/A | |
| AD4027 | Minimizing Total harmonic Distortion Values | N/A | |
| AD4030 | Systems Optimization (VAV Systems) | N/A | |
| AD4031 | Chiller Condenser Water | N/A | |
| AD4032 | Demand Limiting | N/A | |
| AD4033 | Double Bundle Condensor Heat Recovery | N/A | |
| AD4034 | Modulating Supply/Exhaust Fans with VFDs | N/A | |
| AD4035 | Modulating Supply/Return Fans with VFDs | N/A | |
| AD4036 | Decoupler Systems | N/A | |
| AD4041 | VFDs: Energy Efficient Alternative | N/A | |
| AD4051 | PID Pump Application | N/A | |
| AD4052 | PID Air Duct Application | N/A | |
| AD4053 | PID Refrigeration Application | N/A | |
| AD4054 | PID Cooling Tower Application | N/A | |
| AD4061 | Acceptance of AC Drives | N/A | |
| AD4062 | Plenum Rating & AC Drives | N/A | |
| AD4063 | Transmitter Location Drives Savings in HVAC Pressure Control | N/A | |
| AD4070 | How Does an AC Drive Work? | N/A | |
| AD4079 | AC Drive Motor Lead Issues | N/A | |
| AR.ENERGY.01 | Application Report Energy Savings Estimator for Centrifugal Fans & Pumps | 3/15/2009 | * |
| | Software | | |
| SW.ESP.01 | Energy Savings Predictor Software | 4/28/2009 | * |
| SW.HE.01 | E7 Harmonic Estimating Tool | 4/14/2009 | * |
| E7.LonWorksFiles.01 | LonWorks Resource Files for E7 Drives | 3/10/2004 | |
| SW.DW.14.DriveWizard6.1 | DriveWizard 6.1 Single File Install - Upload/Download Software for E7 Drives | 4/27/2006 | |
| WD.DW.05 | Wiring Diagram for DriveWizard Cable to Drive | 8/1/2008 | * |
| | Brochures and Photos (jpeg) | | |
| BL.E7.02 | Significant Cost Savings HVAC Drives for Buildings Bulletin | 7/15/2008 | * |
| BL.E7.01 | E7 Drives & Bypass Bulletin | 1/6/2003 | |
| BL.E7N.01 | Bulletin - E7N Narrow Bypass Package | 6/1/2007 | |
| BL.YEA.02 | Bulletin - The Yaskawa Quality Experience | 12/1/2006 | * |
| BL.AFD.02 | Bulletin - Type 3R Package | 2/1/2009 | * |
| FL.E7.01 | E7 Drive for HVAC Fans & Pumps Flyer, 2 page | 3/1/2006 | |
| FL.E7.02 | E7 18-Pulse Drive, 25-500HP Flyer 2 page | 4/1/2006 | |
| FL.E7.03 | E7, E7B, E7L & E7E Product Overview Flyer, 2 page | 10/1/2005 | |
| FL.E7N.01 | E7N Flyer | 5/15/2009 | * |
| FL.E7.04 | E7 Drive/Bypass System, 1/2 to 500 HP, Flyer | 3/1/2006 | |
| FL.TTS.01 | Flyer - Yaskawa Drive Classes | 9/1/2008 | * |
| PR.QualityLeadership100.02 | Quality Leadership 100 Reprint - Quality Magazine - March 2008 Issue | 4/23/2008 | * |
| PH.E7.01A | E7 Drive, left-facing, blue background | N/A | |
| PH.E7.01B | E7 Drive, left-facing, white background | N/A | |
| PH.E7.02A | E7 Drive, right-facing, blue background | N/A | |
| PH.E7.02B | E7 Drive, right-facing, white background | N/A | |
| PH.E7.03A | E7 NEMA 3R, front-facing, blue background | N/A | |
| PH.E7.03B | E7 NEMA 3R, front-facing, white background | N/A | |
| PH.E7.05.LB | E7 Drive, 18-Pulse | N/A | |
| PH.E7.06 | E7 18-pulse Closed Door, blue background | N/A | |
| PH.E7.07 | E7 18-pulse Open Door, blue background | N/A | |
| PH.E7B.01A | E7B Bypass, left-facing, blue background | N/A | |
| PH.E7B.01B | E7B Bypass, left-facing, white background | N/A | |
| PH.E7B.02A | E7B Bypass, right-facing, blue background | N/A | |
| PH.E7B.02B | E7B Bypass, right-facing, white background | N/A | |
| PH.E7C.01A | E7 Configured Drive with Circuit Breaker, right facing, blue background | N/A | |
| PH.E7C.01B | E7 Configured Drive with Circuit Breaker, right facing, white background | N/A | |
| PH.E7D.01A | E7 HOA Keypad | N/A | |
| PH.E7L.01A | E7L Bypass, left facing, blue background | N/A | |
| PH.E7L.01B | E7L Bypass, left facing, white background | N/A | |
| PH.E7.09.blue | E7 Bypass Touchpad with LED Display, blue background | N/A | |
| PH.E7.09.white | E7 Bypass Touchpad with LED Display, white background | N/A | |
| PH.E7L.02.blue | E7 Bypass Touchpad with LCD display, blue background | N/A | |
| PH.E7L.02.white | E7 Bypass Touchpad with LCD display, white background | N/A | |
| PH.E7N.01.FB | E7N Narrow Bypass Package, front facing, blue background | N/A | |
| PH.E7N.02.FB | E7N Narrow Bypass Package, open view, blue background | N/A | |
| PH.E7N.01.FW | E7N Narrow Bypass Package, front facing, white background | N/A | |
| PH.E7N.02.FW | E7N Narrow Bypass Package, open view, white background | N/A | |
| | Installation Reports | | |
| AR.ENERGY.01 | Application Report Energy Savings Estimator for Centrifugal Fans & Pumps | 3/15/2009 | * |
| AR.VFD.4101 | Air Handler Retrofit Using VFDs Results in Stable Bldg Static Pressure & Temperature | N/A | |
| AR.VFD.4102 | 2nd Largest D.C. Property Mgmt Firm Selects Yaskawa VFDs | N/A | |
| AR.VFD.4103 | Inlet Guide Vane & Discharge Control System Replaced by Yaskawa VFDs | N/A | |
| AR.VFD.4104 | Variable Frequency Drives - "If They Don't Work, Send them Back" | N/A | |
| AR.VFD.4105 | Critical Climatic Control Demands Yaskawa VFDs | N/A | |
| AR.VFD.4106 | Energy Savings & Reduced Maintenance Convince Hotel to retrofit using VFDs | N/A | |

| AR.VFD.4107 | Variable Frequency Drives Eliminate 2-Speed Motor & Oil Bath Chain Drive | N/A | |
|-----------------------------|--|------------|--------|
| AR.VFD.4108 | Energy Audit Proves Worth of VFD Retrofit | N/A | |
| AR.VFD.4109 | Local Support Keeps Yaskawa Involved Through Phase 10 of Project | N/A | |
| AR.VFD.4110 | Variable Frequency Drives; A Sure Bet | N/A | |
| AR.VFD.4111 | One Thousand Yaskawa VFDs and Counting | N/A | |
| AR.VFD.4112 | Water Treatment Facility Retrofits with VFDs | N/A | |
| AR.VFD.4113 | New Concept in Air Displacement Using VFDs | N/A | |
| AR.VFD.4114 | Latest D.C. Bldg Benefits from Energy Conservation of Yaskawa VFDs | N/A | |
| AR.VFD.4115 | Cooling Tower Retrofit Uses Yaskawa VFDs | N/A | |
| AR.VFD.4116 | Medical Center Inlet Guide Vane Retrofit Uses Yaskawa VFDs | N/A | |
| AR.VFD.4117 | Harmonic Distortion Requirements Met With Yaskawa VFDs | N/A | |
| AR.VFD.4118 | Vortex Vane System Replaced by Yaskawa VFDs | N/A | |
| Document Number | Description | Doc Date | Change |
| | Installation Reports | | |
| AR.VFD.4119 | Variable Frequency Drives Meet Demands of Municipal Pumping Application | N/A | |
| AR.VFD.4120 | Harmonic Analysis Proves Variable Frequency Drives are the Solution | N/A | |
| AR.VFD.4122 | N.Y.C. Environmentally Responsible Office Tower Uses Yaskawa VFD | N/A | |
| | Presentations | | |
| PP.AFD.02 | Motor Basics | 7/8/2002 | |
| PP.AFD.07 | Harmonic Current, Voltages and Building Power System | 7/8/2002 | |
| PP.AFD.08 | Basic of Power Quality and Harmonic Distortion Countermeasures | 7/15/2002 | |
| PP.AFD.11 | Basic Present Energy Savings and Harmonic Distortion | 7/15/2002 | |
| PP.E7.03 | Introduction to Yaskawa and E7 Drives | 7/15/2007 | |
| | Training | | |
| eLM.E7.01 | eLearning Module: Using the Copy Keypad | 4/26/2004 | |
| eLM.E7.02 | eLearning Module: Building Automation System, Networks | 6/8/2004 | |
| eLM.E7.03 | eLearning Module: Energy Savings Predictor Software | 1/24/2006 | |
| eLM.E7.04 | eLearning Module: E7 Drive/Bypass Startup | 3/1/2006 | |
| eLM.AFD7.02 | eLearning Module: Troubleshooting and Preventive Maintenance | 4/26/2004 | |
| eLM.AFD7.02 | eLearning Module: Configuring EtherNet/IP Option Card CM092 | 11/28/2005 | |
| eLM.AFD.03 | eLearning Module: Motor and Drive Basics | 2/4/2005 | |
| eLM.AFD.04 | eLearning Module: DriveWizard Software Part A | 3/3/2005 | |
| eLM.AFD.05 | eLearning Module: DriveWizard Software Part B | 5/9/2006 | |
| eLM.AFD.06 | eLearning Module: Setting up PI on Yaskawa VFDs | 3/10/2009 | * |